
Shedology 101





**This diagram shows commonly referred to components and does not show all components that may make up a building. This is a generic diagram and it is important to remember all builders/brands construct their buildings differently. If you have a question regarding a particular component please reach out to your local sales rep, check out the models additional specifications on our website, or call us (270) 789 - 4236.

Additional Specifications Sloping Ridge - Metal Cabin

Wall Specs		
Wall Height	7' 8"	
Stud Type	2" x 4"	
Stud Spacing	24" o.c	
Siding	Central States, 29 gauge Panel-Loc Plus metal	
Trim	Central States, 29 gauge metal	
Sheathing	None	
Vents	Building is constructed to vent air through the eaves.	

Roof Specs		
Roof Pitch	4/12	
Rafter Type	2" x 4"	
Rafter Spacing	48" o.c	
Roof Type	Central States, 29 gauge Panel-Loc Plus metal	
Sheathing	Single bubble insulation	

Floor Specs		
Joist Type	2" x 4"	
Joist Spacing	16" o.c	
Flooring	5/8" LP ProStruct Tongue and Groove flooring with SmartFinish	
Runners	4" x 6" Pressure treated runners, notched	
Runner #	10' Wide - 2 runners 12' & 14' wide - 4 runners.	



Additional Specifications Sloping Ridge - Metal Cabin

<u> </u>	
	Door Specs
Standard Door	9-lite or "half glass" door (36" x 80")
Door Opening	
,	Heavy duty aluminum diamond plate

Standard Features
(3) 2' x 3' Single pane aluminum windows. 4' Porch w/ railing.



