
Shedology 101





**This diagram shows commonly referred to components and does not show all components that may make up a building. This is a generic diagram and it is important to remember all builders/brands construct their buildings differently. If you have a question regarding a particular component please reach out to your local sales rep, check out the models additional specifications on our website, or call us (270) 789 - 4236.

Additional Specifications Sloping Ridge - Metal Deluxe Lofted Cabin

Wall Specs		
Wall Height	6' 3"	
Stud Type	2" x 4"	
Stud Spacing	24" o.c	
Siding	Central States, 29 gauge Panel-Loc Plus metal	
Trim	Central States, 29 gauge metal	
Sheathing	None	
Vents	Building is constructed to vent air through the eaves.	

Roof Specs		
Roof Pitch	Gambrel style	
Rafter Type	2" x 4" (10' & 12' Wide gets 2" x 4" loft joists and 14' wide gets 2" x 6" loft joists)	
Rafter Spacing	48" o.c	
Roof Type	Central States, 29 gauge Panel-Loc Plus metal	
Sheathing	Single bubble insulation	

Floor Specs		
Joist Type	2" x 4"	
Joist Spacing	16" o.c	
Flooring	5/8" LP ProStruct Tongue and Groove flooring with SmartFinish	
Runners	4" x 6" Pressure treated runners, notched	
Runner #	10' Wide - 2 runners 12' & 14' wide - 4 runners.	



Additional Specifications Sloping Ridge - Metal Deluxe Lofted Cabin

Door Specs		
Standard Door	9-lite or "half glass" door (36" x 72")	
Door Opening		
	Heavy duty aluminum diamond plate	

Standard Features

(5) 2' x 3' Single pane aluminum windows. Lofts: Will recieve half the length of the building as loft space. Front loft will always 12' and remaining loft space will be in rear. Deluxe porch w/ railing.



