


# Shedology 101

---

- |                |           |
|----------------|-----------|
| A- Runner      | G- Girt   |
| B- Rim Joist   | H- Rafter |
| C- Floor Joist | I- Purlin |
| D- Flooring    | J- Vent   |
| E- Wall Plate  | K- Doors  |
| F- Wall Stud   |           |



\*\*This diagram shows commonly referred to components and does not show all components that may make up a building. This is a generic diagram and it is important to remember all builders/brands construct their buildings differently. If you have a question regarding a particular component please reach out to your local sales rep, check out the models additional specifications on our website, or call us (270) 789 - 4236.



# Additional Specifications

## Sloping Ridge - Metal Garage

---

Wall Specs	
Wall Height	7' 8"
Stud Type	2" x 4"
Stud Spacing	24" o.c
Siding	Central States, 29 gauge Panel-Loc Plus metal
Trim	Central States, 29 gauge metal
Sheathing	None
Vents	Buildings is constructed to vent air through the eaves.

Roof Specs	
Roof Pitch	4/12
Rafter Type	2" x 4"
Rafter Spacing	48" o.c
Roof Type	Central States, 29 gauge Panel-Loc Plus metal
Sheathing	Single bubble insulation

Floor Specs	
Joist Type	2" x 6"
Joist Spacing	16" o.c
Flooring	3/4" LP ProStruct Tongue and Groove flooring with SmartFinish
Runners	4" x 6" Pressure treated runners, notched
Runner #	10' Wide - 2 runners    12' & 14' wide - 4 runners.



# Additional Specifications

## Sloping Ridge - Metal Garage

---


Door Specs	
Standard Door	9' x 7' Roll up door & a 9-lite or "half glass" door (36" x 80").
Door Opening	
Threshold	Heavy duty aluminum diamond plate

Standard Features	
(1) 2' x 3' Single pane aluminum window	





**DO NOT USE THIS DIGITAL COLOR CHART FOR COLOR MATCHING.**  
This digital color chart is intended to be viewed on computer monitors to show a wide range of colors available. Colors will vary depending on your computer monitor and monitor settings. Please ask for a physical color chart to view colors, and a metal sample for color matching purposes.




# Panel-Loc Plus™

## Color Selection Tool



	<b>PRIME</b> CentralGuard
<b>FADE PROTECTION</b>	
Paint Warranty	<b>LIFETIME</b>
Paint Thickness	THICKER 1.0 mil
Fade Warranty	30-YEAR
Fade Protection	✓✓
<b>RUST BLOCKING</b>	
Advanced Rust Blocking	✓
Perforation Warranty	20-YEAR
Substrate Thickness	1.60 mil
Substrate Coating	Galvalume
<b>DENT RESISTANCE</b>	
Advanced Dent Resistance	✓
Steel Thickness	THICK
Steel Gauge	29 ga.



- Forest
- Hunter
- Colony
- Crimson
- Rustic
- Burgundy
- Gallery
- Ocean
- Ivory
- Light Stone
- Desert
- Taupe

