

ALL STEEL CARPORTS

Incorporated

**Affordable Buildings,
Exceptional Quality!**



Product Catalog



- **Carports • Garages**
- **Horse Barns**
- **Commercial Buildings**



www.allsteelcarports.com



ALL STEEL CARPORTS

Mid Valley Structures
989.772.0010
www.midvalleystructures.com

MUNCIE, INDIANA



WELCOME TO ALL STEEL CAPORTS as we celebrate our Crystal Anniversary in our 15th year of sales, service and manufacturing!

Our company founder and President, Mr. Chavez, fabricated and constructed the first All Steel Carport in 2001 for a local customer. Working full time in a factory, he would build carports and garages on the side for extra income. He could install 2-3 buildings per week. In 2015, the company averaged installing 400-450 buildings per week from sales created by a network of over 800 dealers nationwide.

2015 was a banner year for the company with the opening of a new manufacturing plant in Muskogee, Oklahoma. All Steel Carports captured the honor of NEW BUSINESS OF THE YEAR in Oklahoma by the Economic Development Council.

The corporate manufacturing plant and national call center is located in Muncie, Indiana and handles thousands of calls each week. We hope one of those calls will soon be YOURS!

MUSKOGEE, OKLAHOMA



Regular Roof Carports

Top Quality Construction

Each of our buildings are constructed with 29 gauge steel. The building frame is either 12 or 14 gauge galvanized steel. The thicker, heavier, stronger 12 gauge steel does cost a little extra but it comes with a 20 year warranty on rust. While the 14 gauge is more affordable, it offers only a one year warranty on rust.*



12'W X 26'L X 6'H

Regular



18'W X 21'L X 5'H

Regular



18'W X 21'L X 5'H

Michigan Carport Shown

Optional Heavy Duty 12 Gauge Frame

Thick, heavy and strong, plus a 20 year warranty against rust!

*Warranty assumes normal care and maintenance practices. Call us with any questions.



12'W X 36'L X 10'H

Regular Roof with 1 Panel on each side.

Roof Styles

The regular roof is standard and can be placed on 5 ft. legs. The A-Frame roof has a triangular shape and higher peak, it must be placed on at least a 6 ft. leg. A-Frame buildings are substantially stronger when using vertical metal sheeting. The extra detail of this style makes a big difference in appearance.



18'W X 21'L X 6'H A-Frame
Double Wide Carport



18'W X 21'L X 6'H A-Frame
Michigan Carport Shown with Vertical Roof



30'W X 31'L X 8'H A-Frame

Vertical roof, 1 gable end, 1/2 panels on each side & 45° cuts



20'W X 21'L X 9'H A-Frame

with 1 gable end, extra panel each side & supports



26'W X 36'L X 12'H A-Frame

A-Frame, Vertical Roof w/4 extra sheets

Regular Enclosed Ends & Sides

Ends and Sides

Avoid damage to your vehicle from weather and every day occurrences by purchasing sides and ends for your carport. Our garages are built to keep your vehicles and belongings safe and secure. Whether you need four walls or one, we will design a unit to fit your specific needs.



12'W X 36'L X 10'H

with 8'x7' garage door & walk-in door

**All Steel Carports
keeps your boat
protected & clean**



18'W X 26'L X 7'H



18'W X 36'L X 12'H

with 1 end & 1 panel on each side



22'W X 36'L X 10'H

with extra panel and 6 supports

ALL STEEL CARPORTS

Regular Enclosed Ends & Sides

Customization

Each panel is made from 29 gauge steel. Panels are 3' wide and come in any length. All Steel Carports will custom cut panels to your specifications. With 13 different colors to choose from, you can mix and match your base and trim color to customize your building.



A-Frame Enclosed Ends & Sides

Match Your Home

A-Frame garages can be built to replicate the look and design of most homes. Roll up doors, walk in doors, side drives and windows can all be added to further customize your building!

A vertical roof is recommended for any carport 36' or longer. This type of roof does not have overlapping panels which are more prone to leak.



24'W X 31'L X 9'H

Two 9'x7' roll up doors, window and walk in door.



24'W X 31'L X 9'H

A-Frame with two 10'x8' side roll up doors, walk in door and window



20'W X 21'L X 9'H

A-Frame with one 10'x8' roll up door and walk in door



24'W X 26'L X 9'H

Two windows, walk-in door, one 16'x8' frame opening with 45° degree cuts with vertical roof.



24'W X 26'L X 8'H

Two 9'x7' roll up doors, window and walk in door.



24'W X 41'L X 10'H

A-Frame with two 8'x7' roll up doors w/45° cuts, one 10'x8' & walk in door.

**Mix trim styles and colors to match your home.
All Steel Carports, functional and attractive!**



18'W X 26'L X 8'H

*A-Frame with 9'x7' roll up door,
walk in door & Vertical Roof.*

**Design
your own building
on our website!**

www.allsteelcarports.com



20'W X 21'L X 9'H

*A-Frame Vertical Roof with 12'x21'
lean to, walk in door and window.*



20'W X 31'L X 9'H

*A-Frame with two 10'x8' 45° cut
side roll up doors and walk in door.*

Two Tone Siding



22'W X 26'L X 8'H

Two tone vertical roof with two 9' x 7" roll up doors and one walk-in side door.

**Add that extra touch with
two tone siding, available now!**



18'W X 21'L X 9'H

All vertical two tone exterior with one 10'x8' roll up door and one walk-in door.

Combine any of our siding colors with any building to create a truly unique All Steel Carport solution that will fit your needs and look great doing it! Call to design your custom unit today.



Two tone building with two 9'x7' openings and one 12'x12' opening and vertical roof.

48'W X 26'L X 12'H X 9'H

Vertical Siding and Roof Panels



24'W X 31'L X 9'H

A-Frame with one 10'x8' roll up door and walk in door.



**Heavy Duty
Construction Holds
Up To Heavy Snowfall!**



*A-Frame with
one 9'x7' roll up
door and one walk in door.*

18'W X 21'L X 8'H



30'W X 31'L X 9'H

*A-Frame vertical with 10'x8' roll up
door and walk in door on end.*

Vertical Buildings

Our vertical buildings are great for areas that receive a lot of snow or rain. The vertical panels allow the water to drain off the top and sides of the building instead of accumulating on the top.

Carport / Utility Building Combos



24'W X 31'L X 9'H

A-Frame with 20' enclosed, one 10'x8' side roll up door, walk in door, gable end and side opening with 45° cuts.



20'W X 31'L X 8'H

A-Frame with 10' enclosed, walk in door and gable end, 45° cut, 9'x7' roll up door and 5 side drive.



18'W X 31'L X 6'H

Regular style with 10' enclosed and one 8'x7' roll up door.



18'W X 31'L X 10'H

A-Frame with 8'x7' roll up door with 10' enclosed.



30'W X 26'L X 9'H

12' enclosed, gable ends, extra sheet metal, 9'x7' roll up door and walk in door.



Vertical roof and 20 supports. Enclosed end and one panel each side.

24'W X 80'L X 14'H

Tall Carport Supports

We recommend supports for any carport or building over 8' tall. The supports are 8' tall with an angle at the bottom which provides extra grip. The angle is embedded 3' underground in 85 lbs. of concrete. The top is then bolted to the legs of the structure. Supports are designed to stop the building from swaying and keep it firmly in place.



24'W X 80'L X 14'H

*Vertical roof and 20 supports.
Enclosed end and one panel each side.*



26'W X 36'L X 12'H

Vertical roof with four extra sheets.



26'W X 51'L X 12'H

Regular roof.

Side Entrance Carports & Garages



24'W X 36'L X 9'H

Vertical roof with 10'x8' roll up door, 2 walk in doors, window, 3 side openings with 45° cuts and two gable ends.



20'W X 31'L X 8'H

Vertical roof with three 9'x7' side openings with 45° cuts and two windows.



12'W X 31'L X 8'H

A-Frame with six side openings with 45° cuts and two gable ends with vertical roof.



24'W X 41'L X 8'H

Vertical roof with 8 side openings with 45° cuts and two gable ends.



20'W X 21'L X 8'H

A-Frame with two double gable ends and panels on each side with 45° cuts.



42'W X 31'L X 12'H X 8'H

Vertical roof with one 9'x7' and one 10'x10' roll-up door, one walk-in door and a window.



36'W X 21'L X 12'H X 8'H



20'W X 12'L X 9'H Horse Shelter

42'W X 41'L X 12'H X 8'H

Barn style with all vertical steel panels with one 10'x10' and two 9'x7' roll up doors.



42'W X 26'L X 12'H X 8'H

with two double panel gable ends, four ends with two 9'x7' openings with both sides closed.



Agricultural Barns



40'W X 50'L X 16'H X 13.5'H

28'x50'x16' with right side enclosed, 1-end enclosed with 10'x10' opening, 2-panels on left side with J-trim, 2-panel gable end with 12'x50'x13.5' full enclosed lean-to with 10'x12' roll up door.

48'W X 31'L X 12'H X 9'H

Barn with 24'x31', 12' enclosed, two 10'x10' roll up doors, two 12'x31'x9' lean-to. Left side lean-to has one end and one side closed with two windows. Right side lean-to has two gable ends, one panel side with J-trim.



1-10'x10' roll up door, 1-9'x7' roll up door,
1-walk in door & 1-window

42'W X 31'L X 12'H X 8'H

Our Agricultural Barns are large enough for your machines, vehicles and livestock. On all our larger buildings we suggest using supports, braces and extra frame bows for added stability.



48'W X 31'L X 12'H X 9'H

One 9' x 7' and two 10' x 10' roll up doors with one side walk-in door and one window. Vertical Roof.



24'W X 36'L X 9'H

Vertical roof with 10'x8' roll up door, 2 walk in doors, window, 3 side openings with 45° cuts and two gable ends.



12'W X 21'L X 8'H

Vertical Roof Lean-To



12'W X 26'L X 9'H to 7'

All Vertical Shelter.



12'W X 15'L X 8'H

Lean-To

Commercial Storage Buildings



34'W X 80'L X 14'H

Commercial truss all vertical, fully enclosed with one 10' x 10' and two 9' x 7' roll up doors.



46'W X 60'L X 14'H

Commercial truss building, all vertical with one 12' x 12' opening and two 10' x 10' openings and one walk-in door.



All our truss style commercial buildings use vertical steel roof panels for added strength. Vertical steel panels also reduce snow and water loads on roofs.



See the Benefits of Truss Style Construction

Our commercial structures employ a truss structure. The added stability of this design allows widths of 30 to 60 feet and lengths up to 200 feet without internal supports. By eliminating internal supports we can maximize your storage options. The truss structure is perfect for areas which are exposed to strong winds and heavy snow. These commercial buildings require poured concrete footers or piers in order to handle the extra loads. When a regular steel structure won't work for your storage needs, All Steel Carports can custom build a truss style building for any need.

36'W 26'L X 12'H

with finished legs and one gable end.





26'W X 51'L X 11'H

All vertical building with two 10' x 10' roll up doors, one walk in door and two windows.



48'W X 40'L X 10'H

All vertical with 2 9'x7' & 2 10'x10' roll up doors & walk in door



44'W X 60'L X 16'H

Commercial truss building with 16' lean-to, enclosed sides and end.



8'W X 12'L X 6'H

Regular Roof with 6'x6' roll up door.



10'W X 12'L X 7'H

A-Frame with 6'x6' roll up door.



12'W X 12'L X 7'H

A-Frame with one 6'x6' roll up door, walk in door, porch and handrail



12'W X 20'L X 8'H

A-Frame vertical roof with 8'x7' roll up door, gable end, porch and handrail.



Structure of floor section.



18'W X 20'L X 8'H

All Vertical with 8'x7' roll up door, window and walk in door. Gable end, 10' enclosed with finished legs and side opening.

Storage Buildings & Awnings



12'W X 20'L X 7'H

A-Frame with 6'x6' roll up door.



12'W X 20'L X 7'H

Optional handrail & 8'x6' roll up door



12'W X 20'L X 7'H

Vertical roof with 15' enclosed. one 8'x6' side roll up door and one walk in door with a gable end.



12'W X 16'L X 7'H

6x6 door on one side with one window.





STD Walk-In Door
32"x72"
34"x76"



Nine Light Walk-In Door
34"x76"

Walk-In Door



Window




Garage Door




Insulation



CondensStop



Ground Anchors



Support Brace



Screw



Regular Frame Bow



Regular L Trim



A-Frame Bow



J Trim



22' Regular Frame Bow



Box Trim



22' A-Frame Bow



Corner Trim



Vertical Hat Channel



Ridge Cap



Leg




Vertical Roof Trim



Brace



Base Rail





Painted metal coils unroll and are directed towards a form roller.

Control Over Nearly Every Building Component

The quality of workmanship and materials used in our storage solutions is no accident. Quality control over even the smallest part of our buildings affects the functionality and lifespan of the finished building. Throughout the years, we have invested heavily in manufacturing equipment and skilled employees. From machinery that stamps coiled steel into metal siding to equipment which rolls, forms and bends the steel tube frames, we do it all at our local manufacturing facility. When you purchase an All Steel Carports building, we stand behind the quality because we designed and manufactured every major component.



Corrugated sheet metal exits the form roller to become siding and roof panels on our buildings.



All Steel Carports Inc., Made in the USA!

Throughout the years, it seems that we have seen fewer “Made in the USA” products. All Steel Carports still believes that the best products are made in the USA and we stand behind this claim. All major building components are stamped, formed and welded in our Muncie, Indiana manufacturing facility.

Galvanized steel coil (1) unrolls and moves through the Roll Former (2) to produce long-lasting tubing (3) used as framing in all of our buildings



Burgundy

Forest Green

Hawaiian Blue

Zinc Grey

Black

Bright White

Barn Red

Light Stone

Pebble Beige

Pewter Grey

Brown

Mocha Tan

Taupe

Frequently Asked Questions

QUESTION: Why buy from my local dealer rather than directly from the factory?

ANSWER: We specialize in quality workmanship and service! Our business model is to provide a quality building at a competitive price. Your local dealer has been specially selected to provide you with excellent guidance and customer service. Your local dealer is a person with whom you can have face-to-face conversations about your building needs. They provide displays for you to see our product line. Your dealer's price is the factory's price!

QUESTION: How long will it take to get my carport delivered after I place my order.

ANSWER: Generally we give a time frame of 2-4 weeks for installation. Orders placed after September 1st, our busiest season, may take up to twice as long or longer due to high volume and winter weather delays.

QUESTION: How long will it take for my carport to be assembled.

ANSWER: Carports 1-2 hours / Garages 5-6 hours / Larger buildings 1-3 days

QUESTION: Does installation cost extra?

ANSWER: No. Installation is included in the final sale price.

QUESTION: What preparations do I need to make before my carport is installed.

ANSWER: We ask that you make the lot that the carport will be installed on as level as possible or your unit will be installed "As Is" on lot. Prior to installation, please have any underground cables, gas lines, or any other utility lines located and marked. All Steel Carports, Inc. will not be responsible for any damage to underground utility lines.

QUESTION: What are your payment methods?

ANSWER: All orders are C.O.D. We accept cash, check, money order, Visa, MasterCard, and Discover.

QUESTION: Do I need a permit?

ANSWER: We are not responsible for permits, covenant searches or restrictions. You are responsible for obtaining any permits from your local Building Inspector. We request that you contact your local building department prior to scheduling your installation

QUESTION: I will be installing my building on a cement slab. What size should the slab be?

ANSWER: Pour your slab 3 inches bigger than your building. Create a ¼ inch slope – (1 ½ inches all the way around the slab to help limit water from running inside your building.) (Example: Building 18 x 21) = SLAB- (18ft 3 in x 20ft 3 in.)

QUESTION: What are the outside dimensions of the carport?

ANSWER: Our carports are measured Width x Length x Height (18 x 21 x 6). The width is measured from the outside of each base rail. Length is measured with the base rail being 1ft. shorter than the roof since there is a 6 in. overhang on the roof's metal. Height is measured by the actual leg on the outer wall.

QUESTION: Can I add options to my building after it is installed?

ANSWER: Yes, any additional options you wish to add can be added at any time. A \$50.00 service fee is charged.

QUESTION: What types of anchors do you offer?

ANSWER: We offer 5 different types of anchors (See page 21) All anchors beside the Pin Rebar are available at an additional cost. Please consult with your dealer about your anchor needs.

ALL STEEL CARPORTS

**Affordable Buildings,
Exceptional Quality!**



48'W X 31'L X 12'H X 9'H

One 9' x 7' and two 10' x 10' roll up doors with one side walk-in door and one window. Vertical Roof.



24'W X 36'L X 9'H

Vertical roof with 10'x8' roll up door, 2 walk in doors, window, 3 side openings with 45° cuts and two gable ends.



18'W X 26'L X 8'H

A-Frame with 9'x7' roll up door, walk in door & Vertical Roof.

Your Local Authorized All Steel Carports Dealer

Mid Valley Structures

5 Locations in Michigan
Mt. Pleasant | Waterford | Linwood
Gaylord | Houghton Lake

989.772.0010

www.midvalleystructures.com